

PRINCESS F58


PRICE ON APPLICATION

MAIN HIGHLIGHT

SPECIFICATIONS

Length	18.2 m	Cabins	3
Beam	4.90 m	Berths	6
Draft	1.54 m	Engines	MAN V8
Fuel capacity	3300 l	Max power	2 x 1000 hp
Water capacity	630 l	Max speed	31 kn

DESCRIPTION



The all-new Princess F58 is the latest addition to the acclaimed F-Class series and is unmistakably Princess. Elegant lines, exceptional space and a level of specification and standard of finish normally reserved for much larger craft. This is no truer than with her exterior spaces which have been designed with sociability and relaxation very much in mind. From the vast flybridge that has been designed to maximise guest space, to the foredeck 'terrace' which is large enough to entertain or simply offer a tranquil place to relax, and is a very popular feature borrowed from our larger yachts. Or, the generous cockpit that flows seamlessly into the saloon and down on to the bathing platform which is itself equipped with seating and an optional BBQ to create a mini beach club adjacent to the water.

”

EQUIPMENT

DECK FITTINGS

Teak-laid transom platform, transom steps, cockpit deck, flybridge stairway and steps to side deck

Stemhead roller with automatic anchor launch and retrieve

Deck hatch access to chain locker - 2 lockers forward

Stainless steel bow, stern and spring cleats, with chafing plates (4 pairs)

PVC rubbing band with stainless steel insert

Illuminated crown logo on transom

Riding light

Loudhailer (connected to VHF)

Ensign socket

Black water holding tank dockside discharge connection

Foredeck seating area with fender storage and drink holders (2)

Foredeck sunpad covers

Teak-laid transom platform, transom steps, cockpit deck, flybridge stairway and steps to side deck

Stemhead roller with automatic anchor launch and retrieve

Deck hatch access to chain locker - 2 lockers forward

Stainless steel bow, stern and spring cleats, with chafing plates (4 pairs)

PVC rubbing band with stainless steel insert

Illuminated crown logo on transom

Riding light

Loudhailer (connected to VHF)

Ensign socket

Black water holding tank dockside discharge connection

Foredeck seating area with fender storage and drink holders (2)

Foredeck sunpad covers

COCKPIT AND BATHING PLATFORM

Reversible electric anchor winch with foredeck and main helm controls

Self-stowing anchor system incorporating one 32kg galvanised Lewmar Delta anchor with 40m of 9.5mm galvanised anchor chain

Stainless steel fairleads, with chafing plates (1 pair)

Stainless steel pulpit and guard rails

LED deck level lighting

Full set of IMO navigation lights

Searchlight with remote controls

Twin electric horns

Fuel and water fillers (one per side)

Foredeck escape hatch

Foredeck sunbathing area incorporating fixed twin sunpads with integrated storage and drink holders (4)

Portside fender storage locker

Reversible electric anchor winch with foredeck and main helm controls

Self-stowing anchor system incorporating one 32kg galvanised Lewmar Delta anchor with 40m of 9.5mm galvanised anchor chain

Stainless steel fairleads, with chafing plates (1 pair)

Stainless steel pulpit and guard rails

LED deck level lighting

Full set of IMO navigation lights

Searchlight with remote controls

Twin electric horns

Fuel and water fillers (one per side)

Foredeck escape hatch

Foredeck sunbathing area incorporating fixed twin sunpads with integrated storage and drink holders (4)

Portside fender storage locker

Self-draining

Upholstered U-shaped seating

Stainless steel handrails

Integral stairway to flybridge with teak-laid step treads

Life raft storage locker under flybridge stairs

Lockable gas strut assisted hatch to lazarette/engine room

Transom top locker

Hot and cold flatwash transom shower

Cockpit cover

Fixed bathing platform

Folding teak dining table with cup holders (4)

LED overhead and deck level lighting

LED lighting to step faces

Rope storage

Locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers

Twin transom gates leading to bathing platform

220/240v shore support inlet

LOWER HELM

Twin leather upholstered manual seat with fore and aft adjustment for helmsman
Instrument console with controls incorporating engine instruments and fuel gauges
Dual station instrument and controls console at lower helm

Instrument console with controls incorporating engine instruments and fuel gauges

FLYBRIDGE

Dual station instrumentation and controls (see Lower Helm Position)

Wind deflector screens

Audible and visual alarm for bilge pumps

Clear view hatch to aft cockpit

Stainless steel handrails

Top loading cool box in navigators pedestal moulding

U-shaped upholstered seating area (starboard)

Fixed bathing platform

Folding teak dining table with cup holders (4)

LED overhead and deck level lighting

LED lighting to step faces

Rope storage

Locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers

Twin transom gates leading to bathing platform

220/240v shore support inlet

Self-draining

Upholstered U-shaped seating

Stainless steel handrails

Integral stairway to flybridge with teak-laid step treads

Life raft storage locker under flybridge stairs

Lockable gas strut assisted hatch to lazarette/engine room

Transom top locker

Hot and cold flatwash transom shower

Cockpit cover

Twin leather upholstered manual seat with fore and aft adjustment for helmsman

Dual station instrument and controls console at lower helm

Power assisted electro-hydraulic steering with adjustable steering wheel

Twin manual helm seats with fore and aft adjustment for helmsman

Engine room fire extinguisher warning system

Access stairway to aft cockpit

Stainless steel handrail around flybridge hatch

Small U-shaped seat (starboard), with conversion to sunpad

Drink holders (8)

Folding teak table with drink holders (4)

Fusion MS-SRX400 audio system, paired with Fusion Signature 7.7" waterproof speakers (2)

USB-A charging points (2)

Twin matching whip aerials for VHF R/T and radio

DECK SALOON

U-shaped sofa (port) with storage drawers below

Electric drop window (port)

Sideboard unit with bottle and glass storage and refrigerator

Fusion MS-RA770 audio system, paired with Focal 100 ICW6 speakers (2)

Manual Venetian blinds to all windows

Access stairway to lower accommodation

U-shaped sofa (port) with storage drawers below

Electric drop window (port)

Sideboard unit with bottle and glass storage and refrigerator

Fusion MS-RA770 audio system, paired with Focal 100 ICW6 speakers (2)

Manual Venetian blinds to all windows

Access stairway to lower accommodation

DINING AREA

L-shape sofa to starboard

Stainless steel framed sliding door to cockpit. Three panes with integrated hinging window aft of galley (one fixed pane, two sliding panes, one flip up window)

USB charging points (2) (USB-A and USB-C)

Manual Venetian blinds to windows

Fitted carpet

GALLEY

Galley counter top is Solid Surface in White (satin finish)

Hob extractor fan

Combination microwave/convection oven with grill

Sink is stainless steel with mixer tap

Servery with sink, storage, electric barbecue and bin

LED deck level lighting

GRP radar arch

Covers to console and exterior furniture where appropriate

Coffee table

Crockery storage drawer

50" LED TV on rise and fall

Panoramic tinted toughened glass windows port and starboard

LED overhead and concealed lighting (24v)

Fitted carpet

Coffee table

Crockery storage drawer

50" LED TV on rise and fall

Panoramic tinted toughened glass windows port and starboard

LED overhead and concealed lighting (24v)

Fitted carpet

Folding dining table

220/240v power outlets (1)

LED overhead and concealed (24v)

Manual blind to door

4-zone ceramic hob

Twin top lockers

Full height fridge/freezer (270l)

Waste bin

Drawers and storage cupboards

220/240v power outlets (4)

Timber-laid flooring (V-groove planked)

ACCOMODATION

All cabins and bathrooms feature opening portholes

All bathrooms feature electric freshwater toilets and 240v shaver points OWNER'S STATEROOM

Two-seater sofa to port, with cupboard storage

Sideboard unit to starboard

Fusion Apollo MS-RA670 audio system paired with Focal 100 ICW6 speakers (2)

Manual Venetian blinds to all windows

Individual berth lights

USB charging points (4) (2x USB-A and 2x USB-C)

EN-SUITE BATHROOM

Solid Surface vanity top and thermoformed sink

Storage lockers

Extractor fan

Manual Venetian blind to window

Bathroom accessories (toilet roll holder, toilet brush and holder, soap dispenser, toothbrush tumbler and robe hooks)

FORWARD CABIN

Large double bed with drawers below

Wardrobe with shelves and mirror

Windows with opening portholes

Deck escape hatch

Individual berth lights

USB charging points (4) - two per side (2x USB-A and 2x USB-C)

Large double bed with drawers below

Wardrobe with shelves and mirror

Windows with opening portholes

Deck escape hatch

Corner galley storage bin (top loading) with work top lid

Manual Venetian blinds to windows

All cabins feature 220/240v power points and USB charging points

Large double bed with bedside tables and drawers below

Walk-in wardrobe to starboard with shelves and mirror

Pull out mirror to vanity draw in sideboard unit

Panoramic windows including opening portholes

LED overhead and concealed lighting (24v)

220/240v outlets (2)

Fitted carpet

Mirror with medicine cabinet unit

Shower compartment with automatic pump out

Window with opening porthole

LED overhead and concealed lighting (24v)

Solid Surface flooring

Half height mirror above sideliner, with storage behind (port)

Top lockers

Manual Venetian blind to all windows

LED overhead and concealed lighting (24v)

220/240v outlets (2)

Fitted carpet

Half height mirror above sideliner, with storage behind (port)

Top lockers

Manual Venetian blind to all windows

LED overhead and concealed lighting (24v)

Individual berth lights

USB charging points (4) – two per side (2x USB-A and 2x USB-C)

EN-SUITE BATHROOM/DAY HEAD

Accessible from both the lobby/passage way and forward cabin

Mirror with storage

Shower compartment with automatic pump out

Window with opening porthole

LED overhead and concealed lighting (24v)

Solid Surface flooring

STARBOARD GUEST CABIN

Two single beds with drawers below

Wardrobe with shelves and mirror

Window with opening portholes

LED overhead and concealed lighting (24v)

220/240v outlet (1)

Fitted carpet

LOWER LOBBY / PASSAGEWAY AREA

Storage for detergent and laundry equipment

Double height storage locker

POWER AND DRIVE SYSTEMS

Propeller shafts in Marinemet

Bow thruster 170kgF with dual-station controls

Power-assisted steering system

Cathodic protection for sterngear

Forward and aft engine room bulkheads and engine room headlining to be integrally bonded including insulation with acoustafoam layers

Engine room extractor fan with electronic time delay

Engine beds integrally moulded with hull for strength and vibration absorption

220/240v outlets (2)

Fitted carpet

Solid Surface vanity top and thermoformed sink

Storage lockers

Extractor fan

Manual Venetian blind to window

Bathroom accessories (toilet roll holder, toilet brush and holder, soap dispenser, toothbrush tumbler and robe hooks)

Bedside table

Top lockers

Manual Venetian blind to window

Individual berth lights

USB charging points (2) (USB-A and USB-C)

Under-stair storage locker

LED overhead lighting (24v)

5-bladed propellers in nickel aluminium bronze

High speed balanced rudders

Trim tabs with indicators

Sterngear, engines, fuel tank fillers, etc all electrically bonded

High volume air intakes

Engine exhaust silencers and water-cooled exhausts

Engines flexibly mounted

Automatic fire extinguisher with remote override control

Engine room lighting

Electronic engine and gear shift controls

Dripless self-aligning shaft seals

5-bladed propellers in nickel aluminium bronze

High speed balanced rudders

Trim tabs with indicators

Sterngear, engines, fuel tank fillers, etc all electrically bonded

High volume air intakes

Engine exhaust silencers and water-cooled exhausts

Engines flexibly mounted

Automatic and manual bilge pumps

Engine room access hatch and ladder

Fresh water supply point in engine room

Propeller shafts in Marinemet

Bow thruster 170kgF with dual-station controls

Power-assisted steering system

Cathodic protection for sterngear

Forward and aft engine room bulkheads and engine room headlining to be integrally bonded including insulation with acoustafoam layers

Engine room extractor fan with electronic time delay

Engine beds integrally moulded with hull for strength and vibration absorption

Automatic fire extinguisher with remote override control

Engine room lighting

Electronic engine and gear shift controls

Dripless self-aligning shaft seals

ELECTRICAL SYSTEMS

4 x heavy duty batteries for engine starting

Battery link facility with remote control at helm position

Automatic and manual bilge pumps

Engine room access hatch and ladder

Fresh water supply point in engine room

Propeller shafts in Marinemet

Bow thruster 170kgF with dual-station controls

Power-assisted steering system

Cathodic protection for sterngear

Forward and aft engine room bulkheads and engine room headlining to be integrally bonded including insulation with acoustafoam layers

Engine room extractor fan with electronic time delay

Engine beds integrally moulded with hull for strength and vibration absorption

Automatic fire extinguisher with remote override control

Engine room lighting

Electronic engine and gear shift controls

Dripless self-aligning shaft seals

5-bladed propellers in nickel aluminium bronze

High speed balanced rudders

Trim tabs with indicators

Sterngear, engines, fuel tank fillers, etc all electrically bonded

High volume air intakes

Engine exhaust silencers and water-cooled exhausts

Engines flexibly mounted

Automatic and manual bilge pumps

Engine room access hatch and ladder

Fresh water supply point in engine room

4 x heavy duty auxiliary batteries

Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present

60-amp 24v float battery charger

Circuit breakers on all circuits

Princess Connect telemetry and maintenance system

24 Volt:

4 x heavy duty batteries for engine starting

Battery link facility with remote control at helm position

60-amp 24v float battery charger

Circuit breakers on all circuits

Princess Connect telemetry and maintenance system

220/240 Volt:

European specification: 11kW @ 50Hz diesel generator, in own sound shields, water cooled and with specially silenced exhaust systems and with remote operation from main control panel

Automatic fire extinguisher situated in engine room

Polarity check system

Circuit breakers on all circuits

All bathrooms feature electric freshwater toilets and 240v shaver points

FUEL SYSTEM

Twin fuel tanks in NS8 marine grade alloy with interconnection system 726 gal / 872 US gal / 3300 l capacity

High capacity duplex fuel filters/water traps with integral changeover valves

Remote fuel isolation controls in cockpit locker for main engines and generator

Twin fuel tanks in NS8 marine grade alloy with interconnection system 726 gal / 872 US gal / 3300 l capacity

High capacity duplex fuel filters/water traps with integral changeover valves

Remote fuel isolation controls in cockpit locker for main engines and generator

Remote battery isolator control switches at main switch panel position

12v voltage dropper/converters for certain navigation and radio circuits

4 x heavy duty auxiliary batteries

Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present

Remote battery isolator control switches at main switch panel position

12v voltage dropper/converters for certain navigation and radio circuits

USA specification: 11.5kW @ 60Hz diesel generator in own sound shields, water cooled and with specially silenced exhaust systems and with remote operation from main control panel

Shore power/generator change over control operated from main control panel

Earth leakage safety trip

All cabins feature 220/240v power points and USB charging points

Fuel fillers to port and starboard decks

Water warning sensors connected to warning lights at main helm position

Fuel gauges displayed on MFDs at both helm consoles

Fuel fillers to port and starboard decks

Water warning sensors connected to warning lights at main helm position

Fuel gauges displayed on MFDs at both helm consoles

WATER SYSTEM

Water tanks giving a water capacity (excl. calorifier) of 139 gal / 166 US gal / 630 l capacity plus 73 litres hot water calorifier

Automatic water pump with filter

Water level gauge

Electric quiet flush toilet system linked to 69 gal / 83 US gal / 315 l black water tank, content gauge and manual overboard discharge, with macerator backup system as well as dockside discharge system

Water heated by engines and 3kW immersion heater

Main circuit breaker at main switch panel

Deck filler

BILGE PUMPS

Automatic/manual override electric bilge pumps in engine room (2), lazarette (2) and forward accommodation (6 in total)

Electric bilge pumps have controls and warning lights at main helm with audible alarm at flybridge helm

EXTINGUISHERS / FIRE CONTROL SYSTEMS

Automatic engine room fire extinguisher system (with manual override) and warning system at main and flybridge helm positions providing automatic shutdown of engines, generators and ventilation fans

Hand operated fire extinguishers (5) in owner's stateroom, forward and starboard guest cabin, galley and main helm position
Automatic engine room fire extinguisher system (with manual override) and warning system at main and flybridge helm positions providing automatic shutdown of engines, generators and ventilation fans

Hand operated fire extinguishers (5) in owner's stateroom, forward and starboard guest cabin, galley and main helm position

OTHER STANDARD EQUIPMENT

Ensign staff

Mooring warps (4)

Boat hook

First Aid kit

Water heated by engines and 3kW immersion heater

Main circuit breaker at main switch panel

Deck filler

Water tanks giving a water capacity (excl. calorifier) of 139 gal / 166 US gal / 630 l capacity plus 73 litres hot water calorifier

Automatic water pump with filter

Water level gauge

Electric quiet flush toilet system linked to 69 gal / 83 US gal / 315 l black water tank, content gauge and manual overboard discharge, with macerator backup system as well as dockside discharge system

High capacity manual bilge system with valve system and suction points in the same areas

Automatic fire extinguisher system under main helm

Automatic fire extinguisher system under main helm

Additional extinguisher fitted when optional crew cabin is specified

Fenders (6)

Tool kit

Anchor winch back up handle

Bed covers supplied to all cabins (except optional crew cabin)

FINISHES

Teak-laid transom platform, transom steps, cockpit deck, flybridge stairway and steps to side deck

Furniture in Rovere oak satin finish as standard (Silver oak satin finish, Ash satin finish or Walnut in satin or gloss finish available as an option)

Solid Surface wash basin vanity tops in all bathroom suites in guest accommodation

Exterior upholstery in white vinyl as standard, with optional upgrade to Comfort Exterior available

Manual blinds to all windows and portholes (except crew porthole)

Teak-laid transom platform, transom steps, cockpit deck, flybridge stairway and steps to side deck

Furniture in Rovere oak satin finish as standard (Silver oak satin finish, Ash satin finish or Walnut in satin or gloss finish available as an option)

Solid Surface wash basin vanity tops in all bathroom suites in guest accommodation

Exterior upholstery in white vinyl as standard, with optional upgrade to Comfort Exterior available

Manual blinds to all windows and portholes (except crew porthole)

Timber-laid flooring (V-groove planked) to galley

Solid Surface floors in all bathroom suites in guest accommodation

Galley counter top in Solid Surface

Choice of high-quality carpets and upholstery fabrics from extensive range

Optional crew cabin to have furniture in specified boat timber with fitted carpet. Crew bathrooms have Solid Surface vanity tops and GRP floors with tracking

Timber-laid flooring (V-groove planked) to galley

Solid Surface floors in all bathroom suites in guest accommodation

Galley counter top in Solid Surface

Choice of high-quality carpets and upholstery fabrics from extensive range

Optional crew cabin to have furniture in specified boat timber with fitted carpet. Crew bathrooms have Solid Surface vanity tops and GRP floors with tracking

PRINCESS F58

PRICE ON APPLICATION

Follow Princess Yachts Monaco

