
PRINCESS S72


PRICE ON APPLICATION

MAIN HIGHLIGHT

SPECIFICATIONS

Location	Shipyards, United Kingdom	Cabins	4
Length	22.80 m	Berths	8
Beam	5.45 m	Engines	Twin MAN V12
Draft	1.72 m	Max power	2 x 1800 hp
Fuel capacity	4500 l	Max speed	34 kn
Water capacity	836 l		

DESCRIPTION



The cockpit features a unique sociable U-shaped seating area with modular seating, folding teak table and servery unit - the perfect place to entertain, or to sit back, relax, and enjoy the yacht's exhilarating performance. The cockpit bar connects to the galley unit to create an almost seamless transition from outside to in, with a glass window partition which folds up from the unit below to provide servery access when entertaining. The saloon is designed for sociable living, with a large L-shaped dining area opposite the fully equipped galley, leading to a cavernous main deck saloon with U-shaped sofa, Princess Design Studio coffee table, and an elegant sideboard unit containing a 55" UHD LED TV on rise and fall, plus companion seating with fold out table opposite the main helm. Below deck, eight guests enjoy four beautifully appointed cabins, three of which are en-suite, all bathed in natural light from elegant hull glazing, with a further twin cabin with en-suite aft for occasional guests or crew. A dedicated staircase leads from the main deck to the full-beam owner's stateroom amidships, via a private lobby area in the lower.

”

EQUIPMENT

DECK FITTING

Teak laid transom platform, transom steps, cockpit deck, sportbridge and sportbridge stairway areas. Teak laid side deck and foredeck walkthrough areas are optional

Stem head roller with automatic anchor launch and retrieve

Twin electric stern line mooring winches

Bow rope stowage locker

Stainless steel bow and stern fairleads Stainless steel bow, stern and spring cleats (2 pairs)

Stainless steel coachroof and sportbridge handrails

Foredeck U-shaped seating area

Twin coachroof lockers for storage of fenders, ropes and covers

Illuminated crown logo on transom

Riding light

Twin beam searchlight with dual station remote controls

Twin electric horns

Fuel and water fillers

COCKPIT AND BATHING PLATFORM

Self-draining

Folding teak table with drink rings

LED overhead and deck level lighting integrated into scene selection lighting control

Garage to take tender 3.9m with electro-hydraulic door and tender launch system with electric winch

Lockable gas strut assisted hatch to engine room/lazarette

Rope storage lockers

Integral stairway to sportbridge with teak step treads

Twin transom gates leading to bathing platform Retractable bathing ladder (manual) in side of hydraulic platform

Hot and cold transom shower

Reversible electric anchor winch with foredeck, main helm and sportbridge controls

Self-stowing 50kg/110lbs Delta anchor with 60m of 12mm chain

Deck hatch access to chain locker

Freshwater deck/anchor wash

Stainless steel pulpit and guard rails

Foredeck escape hatch

Foredeck sunbathing area, twin sunbeds with integrated adjustable headrests with aft facing seat conversion. Storage locket between sunbeds with optional cool box

PVC rubbing band with stainless steel insert LED deck level lighting integrated into scene selection lighting control

Full set of IMCO navigation lights

Stern docking lights

Loudhailer

Ensign socket and pole

Holding tank dockside discharge connection

Upholstered U-shaped seating and sunpad. Forward sections movable to reconfigure cockpit

Servery unit

Stainless steel handrails

Top hinged door to aft crew cabin

Liferaft stowage locker

Locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers (to include gas ram)

Cockpit cover

Transom steps to access stern from bathing platform when in lowered position

220/240v shore support inlet

Electro-hydraulic raise / lower teak laid bathing platform (450kg SWL)

Transom locker with internal rail in garage door

SPORTBRIDGE

Dual station instruments and controls (see Lower Helm Position) and USB sockets (2) (each comprising 1x USB-A and 1x USB-C)

Audible and visual alarm for bilge pumps

Twin helm seats with fore and aft adjustment for helmsman

Large U-shaped upholstered seating

Folding teak table with drink rings

Storage locker and navigator seat pedestal with integrated cool box

M6-650X-L waterproof speakers (2)

Wind deflector screens

LED deck level lighting integrated into scene selection lighting control

Twin matching whip aerials for VHF R/T and radio

Optional GRP hardtop panel

LOWER HELM POSITION

Twin leather helm seats with fore and aft adjustment for helmsman's seat

Dual station instruments and controls at Sportbridge and Lower Helm Positions:

Adjustable steering wheel

Electronic engine controls

Electric anchor winch remote control

Autopilot

Echo sounder with alarm

Remote control searchlight

Controls for standard trim tabs

Engine instrumentation (including fuel levels and fuel flow)

Scene selection lighting controls

Drinks holders

Standard teak with Princess logo (small) Bathing platform aft rail

Power assisted electro hydraulic steering with adjustable wheel

Engine-room fire extinguisher warning system

Port L-shaped seating (converts to sunbed)

Cup holders between L-shaped and U-shaped seating

Wet-bar with barbecue, sink, waste bin and storage

Naim Uniti Atom audio unit with JL Audio

Clear view hatch to aft cockpit with stainless safety rail with glass balustrade

Stainless steel handrails

GRP radar arch

Console, table and seat covers

Instrument console with LED display incorporating engine instruments, fuel gauges, alarms and rudder position indicator

Power-assisted electro-hydraulic steering

High-speed magnetic compass

Bow thruster control

Colour radar (with scanner) and GPS/chartplotter

Speed and distance log

VHF with DSC R/T with intercom

Horn button

Boning system integrated with the following functionalities (displayed on separate dedicated display at helm):

Digital boat alarms

AC/DC control and monitoring

Toughened glass screen (clear for night vision) with windscreen demist system

Windscreen wipers with freshwater windscreen wash

Bilge pump controls with visual pump running warnings

Riding light, helm and navigation light control switches

Pantograph helmsman's door to starboard side deck

SALOON

U-shaped sofa

L-shaped sofa opposite helm area with fold-out companion table and 220/240v outlet Sideboard unit with bottle and glass storage

UHD LED TV (55") on rise and fall

Electric drop window to port

Access stairway to lower accommodation Separate access stairway to owner's stateroom

DINING AREA

L-shaped sofa

Stainless steel framed sliding patio door to cockpit with integrated hinging window aft of galley

Dimmable LED overhead and concealed lighting (24v) integrated into scene selection lighting control

'V' groove planked timber flooring

GALLEY

Solid surface worktop

Ceramic 4-zone induction hob Hob extractor

Solid Surface 1.5 bowl sink with mixer tap

Full height refrigerator/deep freeze

Icemaker

Drawers and storage cupboards

"V" groove plank timber flooring

ACCOMMODATION

Black mesh sunscreens

24v and 240v electrical control panel

USB connection point (1x USB-A and 1x USB-C) LED overhead lighting (24v) and night lighting integrated into scene selection lighting control

AC/DC groove planked timber flooring

Coffee table

Refrigerator

Naim audio system paired with speakers (2) and subwoofer

Venetian blinds (in matte black) to all windows Dimmable LED overhead and concealed lighting (24v) integrated into scene selection lighting control

Fitted carpet

olding dining table, Solid Surface countertop with timber edge

Venetian blinds (in matte black) to windows and manual skylol blind to patio door

USB connection points (1x USB-A and 1x USB-C)

Solid surface countertop to cockpit and port servery unit

Combination microwave/convection oven with grill

Chopping board

Dishwasher

Waste bin

Venetian blinds (in matte black) to window LED overhead and task lighting (24v) integrated into scene selection lighting control 220/240v outlets (4)

All cabins and bathrooms feature opening portholes and air conditioning

All bathrooms feature electric freshwater toilets and 240v shaver points

OWNER'S STATEROOM LOBBY

Access stairway to owner's stateroom

Manual venetian blinds

LED overhead and concealed lighting (24v) integrated into scene selection lighting control

OWNER'S STATEROOM

Large double bed with drawers below

Dressing area with wardrobes and storage

Dressing table with chair

Sofa

55" UHD LED TV

Panoramic windows including opening portholes

Dimmable LED overhead and concealed lighting (24v) integrated into scene selection lighting control

220/240v outlets (3)

Fitted carpet

EN-SUITE BATHROOM

Twin washbasins and vanity top in thermoformed Solid Surface

Storage lockers

Extractor fan

LED overhead and concealed lighting (24v) integrated into scene selection lighting control

Flooring in Solid Surface

FORWARD STATEROOM

Large double bed with drawers below

Dressing table

Storage lockers and drawers

All cabins feature 220/240v power points

Panoramic window

A washer/dryer with cupboard above is fitted in the forward passageway in the guest accommodation (a separate washer and dryer may be optionally installed in place of the standard unit)

Fitted carpet

Twin bedside tables

Built in safe

Mirror

Storage lockers and drawers

Naim audio system paired with speakers (2)

Manual venetian blinds

Individual berth lights

USB charging point (3) (each comprising 1x USB-A and 1x USB-C)

Mirror

Shower compartment with automatic pump out

Window with opening porthole and manual tension venetian blind

Bathroom accessories

Wardrobe with shelves

Mirror

Window with opening portholes

Manual venetian blinds

LED overhead and concealed lighting (24v) integrated into scene selection lighting control

220/240v outlets (4)

Fitted carpet

EN-SUITE BATHROOM

Washbasin and vanity top in thermoformed Solid Surface

Storage lockers

Extractor fan

Manual tension

LED overhead and concealed lighting (24v) integrated into scene selection lighting control

Flooring in Solid Surface

PORT GUEST CABIN

Two single beds with drawers below (with option of double bed conversion)

Wardrobe with shelves

Storage lockers and drawers

Manual venetian blinds

220/240v outlets (2)

Fitted carpet

EN-SUITE BATHROOM

Washbasin and vanity top in thermoformed Solid Surface

Storage lockers

Extractor fan

Manual tension Venetian blind

Bathroom accessories

Day access door from passageway (port side)

STARBOARD GUEST CABIN

Deck hatch

Individual berth lights

USB charging point (2) (each comprising 1x USB-A and 1x USB-C)

Mirror

Shower compartment with automatic pump out

Window with opening porthole

Venetian blind

Bathroom accessories

Bedside table

Mirror

Window with opening portholes

LED overhead and concealed lighting (24v) integrated into scene selection lighting control Individual berth lights

USB charging points (1x USB-A and 1x USB-C)

Mirror

Shower compartment with automatic pump out

Window with opening porthole

LED overhead and concealed lighting (24v) integrated into scene selection lighting control

Flooring in Solid Surface

Two single beds with drawers below (with option of double bed conversion)

Wardrobe with shelves

Storage lockers and drawers

Manual venetian blinds

Individual berth lights

USB charging points (1x USB-A and 1x USB-C)

CREW CABIN

Top hinge door access from transom

Mirror

Opening portlight

Individual berth lights

USB charging point (2) (each comprising 1x USB-A and 1x USB-C)

White laminate furniture

CREW BATHROOM

Washbasin with Carrara white Solid Surface vanity top (gloss finish)

Storage lockers

LED overhead lighting (24v)

Non-slip flooring

POWER AND DRIVE SYSTEMS

Engine room soundproofed

Engine room extractor fan with electronic time delay

Engine beds integrally moulded with hull for strength and vibration absorption

Engines flexibly mounted

Automatic and manual bilge pumps

5-bladed propellers in nickel aluminium bronze High speed balanced rudders

Sterngear, engines, fuel tank fillers, etc all electrically bonded

Engine room lighting

Power-assisted electro-hydraulic steering system

Bedside table

Mirror

Window with opening portholes

LED overhead and concealed lighting (24v) integrated into scene selection lighting control

220/240v outlets (2)

Fitted carpet

Two single beds with storage below Wardrobe with shelf

Storage lockers and drawers

LED overhead lighting (24v)

220/240v outlets (2)

Non-slip safety flooring

Mirror

Shower compartment with automatic pump out Extractor fan

Bathroom accessories

Standard aft lazarette incorporates overhead lighting, access hatch with ladder and storage space via transom top hinged door

High volume air intakes

Engine exhaust silencers and water-cooled exhausts

Forward and aft engine room bulkheads integrally bonded

Automatic fire extinguisher with remote override control

Propeller shafts in Marinemet

Cathodic protection for sterngear

Bow thruster (250kgf/551lbf) with dual-station controls

Engine room access and ladder

Trim tabs with indicators

Electronic engine and gear shift controls

Dripless self-aligning shaft seals

ELECTRICAL SYSTEMS (24 Volt)

4 x heavy duty batteries for engine starting

Battery link facility with remote control at helm position

1 x 80-amp 24v battery charger and 1 x combination 3.0 kW 70-amp inverter charger 6-amp battery charger for generator battery

Circuit breakers on all circuits

24v to 240v/50Hz inverter for saloon A/V, galley fridge and telephone system

220/210 Volt:

22.5kW generator in own sound shield with water-cooled and specially silenced exhaust Automatic fire extinguisher situated by generator

Shore power/generator change over control operated from main control panel

Earth leakage safety trip, circuit breakers on all circuits

Shaver points in washrooms

Boning system

AIR CONDITIONING

Air conditioning/heating reverse cycle 128,000 BTU chiller with 128,000 BTU fan capacity

Controls in all cabins and outlets in all areas (includes outlets in bathrooms and crew cabin)

FUEL SYSTEM

Fuel tanks (in NS8 marine grade alloy) with interconnection system giving 4,500/1,189 US gal/990 gal capacity

High-capacity duplex fuel filters with water traps and change-over valves, water warning sensors connected to warning lights at lower helm

Fuel gauges at main helm console

WATER SYSTEM

Fresh water supply point in engine room

6 x heavy duty auxiliary batteries

Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present

Remote battery isolator control switches at main switch panel position

24v to 12v converters for certain navigation and radio circuits

Galvanic isolation system

63-amp shore power inlet

Polarity check system

Power points (240v) in all cabins and living areas, helm position and galley

Smoke detectors (galley, stateroom, lower lobby and crew area)

Suitable for ambient temperature to 40AC (e.g. tropical)

Standard 22.5kW generator is suitable (N.B. this has sufficient capacity for Gyro stabilisers as well as air conditioning)

Fuel fillers on port and starboard side decks

Remote fuel cocks in cockpit locker

Water tanks totalling 836l/221 US gal/184 gal plus 73l/19 US gal/16 gal hot water calorifier

Automatic water pump with filter

Water level gauge

Electric quiet flush toilet system with 400l/106 US gal/88 gal holding tank, content gauge and low noise electric overboard discharge, with macerator backup system as well as dockside discharge system

FIRE EXTINGUISHERS/CONTROL SYSTEMS

Automatic/manual override fire extinguishers in engine room

BILGE PUMPS

Automatic/manual override electric bilge pumps in engine room (2), rudder area and forward accommodation (6 in all)

Electric bilge pumps have controls and warning lights at main helm and warning light with audible alarm at sportbridge helm

OTHER STANDARD EQUIPMENT

Ensign staff

Mooring warps (4)

First Aid kit

Owner's manual and engine manual

Set of towels (8 large, 8 hand)

Set of Princess china (8 settings consisting of plate, side plate, bowl, cup and saucer)

Ship's document case Anchor winch back up handle

FINISHES

Teak-laid decks to transom platform, steps to flybridge and sportbridge

Furniture in choice of Alba oak in satin finish Rovere oak or

Solid Surface floors in all bathroom suites

Galley countertop in Solid Surface with Solid Surface Sylmar

Water heated by engines and 240v immersion heater

Main circuit breaker at switch panel

Deck filler

Hand operated fire extinguishers (7) in owner's stateroom, forward stateroom, port and starboard guest cabins, galley, lower helm position and aft cabin

High-capacity manual bilge pump with valve system and suction points in same areas

Fenders (8)

Boat hook

Tool kit

Functional bed linen supplied to all cabins (except optional crew cabin)

Set of glassware (8 settings consisting of tumbler and wine glasses)

Set of cutlery (8 settings of David Mellor "Paris" cutlery 7 pieces)

"V" groove planked timber floor to galley, dinette and helm

Silver oak or walnut in satin or gloss finishes available as an option

Thermoformed Solid Surface wash hand basin vanity tops in all bathroom suites

White sink

Choice of high-quality carpet and upholstery fabric from extensive range

Crew cabin has non-slip safety flooring, crew bathroom floor is Solid Surface with Solid Surface vanity tops

Blinds or sunscreens to all windows, doors and portholes

PRINCESS S72

PRICE ON APPLICATION

Follow Princess Yachts Monaco

