
PRINCESS X80


PRICE ON APPLICATION

MAIN HIGHLIGHT

SPECIFICATIONS

Location	Shipyards, United Kingdom	Cabins	4+2
Length	25.18 m	Engines	MAN V12-1900
Beam	6.06 m	Max power	2 x 1900 hp
Draft	1.78 m	Max speed	31 kn
Fuel capacity	7.000 l	Price	4 775 000 (VAT excl.)
Water capacity	1.4 l		

DESCRIPTION



The Princess X80, follows the X95 concept defined by large, adaptable spaces offering flexible accommodation. Yet again, Princess is boldly re-writing the rules of yacht design and architecture by incorporating the concept of a 'super flybridge' featuring extensive outdoor space, offering the owner & guests a real al fresco living opportunity. The X80 has been painstakingly designed to offer the most versatile and accommodating experience, while keeping design and style at the forefront. The stature of the X80 profile is defined through the increased height of the bulwarks, topsides and enclosed wheelhouse. Her 'S' shaped canopy flows into the flybridge deck to balance the visual weight and disguise the volume of the expansive sky lounge. The X80 brings the outside in through the maximisation of glazing which flows along the entire length of the main deck encasing the saloon, galley and forward dining area.

”

EQUIPMENT

Teak-laid transom platform, transom steps, cockpit deck, stairway to flybridge, side decks, steps to foredeck, flybridge aft sun deck and foredeckseating walkthrough areas

Stemhead roller with automatic anchor launch and retrieve

Twin electric sternline mooring winches

Freshwater deck/anchor wash (with both fore and aft deck outlets)

Stainless-steel bow spring cleats (1 pair, port & starboard)

Stainless-steel guard rails to foredecks

Stainless steel handrails to main deck side decks

Foredeck U-shaped seating area with removable coffee table

PVC rubbing band with stainless-steel insert

Full set of IMCO navigation lights

Twin beam searchlight with remote controls

Twin electric horns

Self-draining

Teak folding dining table paired with 3 dining chairs

Stainless-steel handrails

Remote control 4.5m telescopic passerelle with automatic folding handrails (1.2m overhang)

Engine room to cockpit escape hatch

Wash hand basin with mixer tap to portside

Integral stairway to flybridge with teak step treads

Electro-hydraulic teak laidraise/lower bathing platform (550kg SWL)

Hot and cold transom shower

Canvas cockpit cover

L-shaped companion seating to port (with deployable side table)and optional navigator seat to starboard

Instrument console with display incorporating engine instruments, CCTV, fuel gauges, alarms and rudder position indicator

Intercom to galley and crew area

Reversible electric anchor winch with foredeck, main helm and flybridge controls

Twin anchor system incorporating a Primary anchor - 80kg Galvanised Claw anchor with 100m of 14mm galvanised chain and a Secondary anchor - 50kg Galvanised Claw anchor with 70m of 14mm galvanised chain

Deck hatch access to chain locker, rope locker and engine room

Stainless steel bow, nose and stern fairleads

Stainless-steel stern spring cleats (1 pair, port & starboard)

Stainless steel flybridge handrails with glazed panel

Foredeck escape hatch

Twin coach roof lockers for storage of fenders, ropes and cushions

LED deck level lighting

Riding light

Stern docking lights

Fuel and water fillers

Upholstered U-shaped seating with storage below (for life-rafts)

LED overhead and deck level lighting

Second station controls portside including thruster controls and emergency engine stop

Watertight pantograph door giving access from bathing platform into crew area/engine room

Stern lazarette and locker with provision for 2x Seabob F5/F5 S/F5 SR storage & charging

Starboard locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers

Twin transom gates leading to bathing platform

Retractable bathing ladder (manual) in side of bathing platform

220/240v shore support inlet

Enclosed pilot house with central leather upholstered electric seat with fore, aft and height adjustment

2-stage Sliding doors to fully enclose or open helm to skylounge area

Helm position instrument and controls console

Automatic fog horn with loudhailer

Chart storage

Toughened glass screen (clear for night vision) with windscreen de-mist system

Black mesh sunscreens

24v and 240v electrical control panel

On/Off & dimmable LED overhead/concealed lighting (24V) with night lighting & scene selection

'V' groove planked timber flooring

USB connection points (2)

55" 4K UHD LED TV on rise and fall

Sideboard with fridge and storage

Stainless steel opening glass patio doors to aft deck area

Tinted panoramic toughened side windows

Manual roller blinds to all side windows

'V' groove planked timber flooring with rug inlay

Standard layout is Flybridge aft deck area with 2x L-shaped sofas & 2x side tables. Port side L-shaped sofa can be adjusted to face forward or aft.

Naim Uniti Atom audio system with waterproof ΔJL Audio M6-650X-Lspeakers (2) to aft end of flybridge

Access stairway to aft cockpit

Aft servery unit with sink and tap

Twin matching whip aerials for VHF R/T and radio

Large L-shaped sofa to port with storage below

Coffee table

DVD Blu-ray system and Naim Uniti Atom audio system with speakers (4)

Glasses storage sideboard

Triple stainless-steel framed cockpit doors

Access stairway to skylounge

USB connection points (4)

Manual curtains on wave track to aft patio doors, stowed to port

Onboard ethernet router & 4G/5G internet modem

Open bar/servery layout with powered electric screen to fully enclose galley and sliding door

Hob extractor

1.5-bowl stainless-steel sink with mixer tap

Drink holders

Windscreen wipers with freshwater windscreen wash

Bilge pump controls with visual pump running warnings

Riding light, helm and navigation light control switches

Watertight pantograph door giving direct access to starboard side foredeck walkthrough area

220/240v outlets (1)

Sofa & coffee table

DVD Blu-ray system with Naim Uniti Atom audio system with speakers (2)

Access stairway to main deck

On/Off & dimmable LED overhead/concealed lighting (24V) with scene selection

Glazed roof panels with powered blinds and slat feature

Manual curtains to aft door, stowed to port

Flybridge foredeck with twin sunbeds

Dining table with chairs to accommodate 8 persons (10 for 5 cabin layout)

Clear view hatch to aft cockpit

Storage lockers port/starboard

Radar mast

Cover to exterior furniture where appropriate

Sofa to starboard with storage below

55" 4K UHD LED TV on rise and fall.

Servery unit with integrated drinks refrigerator and icemaker

Panoramic tinted toughened glass windows port and starboard

Access stairway to lower accommodation

220/240v outlets (2)

Manual roller blinds to all outboard windows

Fitted carpet

Granite/quartz worktop

Miele 4-zone Induction hob

Miele combination microwave/ convection oven with grill

Chopping board & storage

Full height refrigerator/deep freezer

Icemaker

Drawers and storage cupboards

Pantograph door to starboard side deck

220/240v outlets (4)

Access to dinette via sliding door

Stone topped Sideboard unit with crockery, glassware and general storage

220/240v power outlets (2)

Full-height panoramic tinted toughened glass port window, with manual recessed roller blinds

Manual roller blinds to outboard windows

All cabins feature 220/240v powerpoints

Large double bed with bedside tables and drawers below

Built-in safe

Starboard side sofa with storage units

DVD Bluray system connected to Naim Uniti Atom audio system with speakers (2) and subwoofer

Roman blinds and manual sheer roller blinds to hull windows

Twin double wardrobes

43" 4K UHD LED TV

En-suite bathroom

Bedside table

Wardrobe with shelves

Storage lockers

Roman blinds

USB connection point (2)

Linen cupboard below companionway stairs

Manual roller blind to window

Bathroom with shower compartment, electric freshwater toilet and washbasin

Access from transom door

Dishwasher

Waste bin

Manual roller blinds to window

LED overhead and task lighting (24V)

Access to deck saloon via sliding door

Dining table with aft facing dinette seating and dining chairs (4)

Entertainment unit with Naim Uniti Atom audio system and speakers (2)

On/Off & dimmable LED overhead/concealed lighting (24V) with scene selection

Powered SHY roller blinds to forward glazing

All cabins and bathrooms feature opening portholes and air conditioning

All en-suites feature 240v shaver points

Dressing area with full length mirror, hanging, shelf and drawer storage

Port side dressing table with integrated mirror, chair, storage drawers and cupboards

55" 4K UHD LED TV

Panoramic windows including opening portholes

En-suite bathroom with towel rail

Port side dressing table with integrated mirror, stool & storage drawers

DVD Blu-ray system connected to Naim Uniti Atom audiosystem with speakers (2) and subwoofer

Double bed with drawers below

Dressing table with stool

Mirror

Window with opening portholes

Individual berth lights

Two single beds with drawers below

Space for optional combination washer/dryer below companionway stairs

Crew cabin with two single beds, wardrobe and storage lockers

Crew mess with washing machine and separate dryer

Access to engine room

Furniture in choice of Alba oak, Rovere oak in satin finish as standard. Silver Oak or walnut with satin or gloss finishes available as an option.

Thermoformed Solid Surface wash hand basin counter tops in all bathroom suites and day head

Choice of high-quality carpets and fabrics from extensive range

Crew cabins have fitted carpet, Crew bathrooms have Solid Surface floors and countertops

High volume air intakes

Engine exhaust silencers and water-cooled exhausts

Engines flexibly mounted

Automatic and manual bilge pumps

5-bladed propellers in nickel aluminium bronze

Cathodic protection for sterngear

LED Engine room lighting

Power-assisted electro-hydraulic steering system

Bow thruster with dual-station controls

Dripless self-aligning shaft seals

6x heavy duty auxiliary batteries

Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present

Remote battery isolator control switches at main switch panel position

24v to 12v converters for certain navigation and radio circuits

Galvanic isolation system

USA specification: Up to 2x 29k W @ 60Hz diesel generators in own sound shields, water cooled and with specially silenced exhaust systems and with remote operation from main control panel (single generator as standard)

Shore power/generator change over control operated from main control panel

Earth leakage safety trip, circuit breakers on all circuits

240v shaver points in washrooms

CCTV system with camera in aft cockpit and two fixed cameras in engine room, displayed on helm MF Ds

Solid Surface in all bathroom suites in guest accommodation (including day head)

Galley worktop in granite or quartz

Curtains, blinds or sunscreens to all windows and portholes

Non slip safety flooring to crew mess and passageway

Engine room extractor fan with electronic time delay

Forward and aft engine room bulkheads integrally bonded including acoustafoam layers

Automatic fire extinguisher with remote override control

Propeller shafts in Marinemet

High speed balanced rudders

Sterngear, engines, fuel tank fillers, etc all electrically bonded

Engine room access from transom and port side deck via crew area and from cockpit deck

Electronic engine and gear shift controls

Fresh water supply point in engine room

4x heavy duty batteries for engine starting

Battery link facility with remote control at helm position

2x 100-amp 24v float battery chargers

Circuit breakers on all circuits

24v to 240v/50Hz inverter for saloon a/v, galley fridge and optional telephone system

European specification: Up to 2x 27.5k W @ 50Hz diesel generators in own sound shields, water cooled and with specially silenced exhaust systems and with remote operation from main control panel (single generator as standard)

220/240v shore power inlet

Polarity check system

Power points (240v) in all cabins and living areas, helm position and galley

3k W immersion heater for fresh water

Main fuel tank with fuel polishing transfer system to day tank giving a total 7000 litres of fuel capacity (8500 litres if long range fuel tank is specified).

Fuel fillers to port and starboard

Remote fuel isolation controls in cockpit locker for main engines and generators

Air Conditioning/heating reverse cycle

suitable for temperatures to 40°C (tropical)

The standard generator is suitable.

Fresh water tanks giving 1500 litres capacity plus 200 litres hot water calorifier

Water level gauge

Pump circuit breaker at main switch panel

Grey water tank to take waste water from sinks/showers, washing machine(s) and dishwasher

High capacity manual bilge system with suction points in the same areas

Automatic engine room fire extinguisher system (with manual override) and warning system at helm position providing automatic shutdown of engines, generators and ventilation fans

Hand operated fire extinguishers in all guest cabins, galley, crew quarters and flybridge

Fenders (8)

First Aid kit

Bed cover supplied to all cabins (except crew cabin)

Set of Sous Le Soleil crockery (8 settings consisting of plate, cake plate, dessert plate, bowl, cup & saucer) NB : 10 settings with 5 cabin layout

Tool kit

Owner's manual and engine manual

High capacity duplex fuel filters/water traps with integral changeover valves and water sensors connected to alarms at helm position

Fuel gauges at helm position

204,000 BTU fan capacity with 144,000 BTU chiller capacity

incorporating a windscreen demist facility.

Outlets in all areas and any concentrations of AV equipment (if required)

Automatic water pump with filter

Deck filler

Electric freshwater toilet system linked to 500 litres holding tank, content gauge and low noise electric overboard discharge, with macerator backup system as well as dockside discharge system

Automatic/manual override electric bilge pumps in engine room, rudder area and forward accommodation

Electric bilge pumps have controls and warning lights with audible alarm at helm position

Automatically operated engine room air shutoff system

Ensign staff

Mooring warps (4)

Set of towels (8 large, 8 hand), NB : 10 sets with 5 cabin layout

Complete set of Lucrezia crystal glassware (8 settings consisting of tumbler, highball and wine glasses) NB : 10 settings with 5 cabin layout


Set of stainless steel cutlery (8 settings of David Mellor "Paris" cutlery 7 pieces) NB : 10 settings with 5 cabin layout

Boat hook

Ship's document case

PRINCESS X80

PRICE ON APPLICATION

+33 640 61 88 46 

m.st.pierre@princessyachtsmonaco.com

Follow Princess Yachts Monaco

